

SID (Brand/Format/ Year/#)	SERIAL # (Laptop Cords Only)	ID/USER/USE	DEPT	LOC	GROUP	MONITOR	CPU GHZ	OS	RAM	HDD	CONFIRM ED APR 2014	NOTES
LDB 10 0044R2	NA	ARCHIVES	REF	A02	Employee	20"					X	Replaced DDA 07 0259R1. System is not currently set up.
LDA 11 0377	NA	ARIEL #1 - ILL STD	ILL	105	Employee	19"	3.2 DUAL	7	4.00	150	X	
LDA 11 0332	NA	BI 01	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0331	NA	BI 02	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0330	NA	BI 03	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0329	NA	BI 04	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0328	NA	BI 05	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0327	NA	BI 06	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0326	NA	BI 07	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0325	NA	BI 08	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0324	NA	BI 09	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0323	NA	BI 10	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0322	NA	BI 11	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0321	NA	BI 12	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0320	NA	BI 13	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0319	NA	BI 14	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0318	NA	BI 15	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0317	NA	BI 16	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0316	NA	BI 17	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0315	NA	BI 18	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0314	NA	BI 19	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0313	NA	BI 20	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0312	NA	BI 21	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0311	NA	BI 22	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0310	NA	BI 23	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0309	NA	BI 24	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0308	NA	BI 25	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0307	NA	BI 26	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0306	NA	BI 27	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0305	NA	BI 28	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0304	NA	BI 29	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0303	NA	BI 30	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0302	NA	BI 31	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0301	NA	BI 32	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0300	NA	BI 33	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0299	NA	BI 34	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0298	NA	BI 35	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0297	NA	BI 36	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0296	NA	BI 37	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0295	NA	BI 38	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0294	NA	BI 39	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0293	NA	BI 40	BI	201	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0333	NA	BI LAB FAC	BI	201	Lab	20"	3.2 DUAL	7.00	4.00	150	X	
DDA 07 0219 R2.	(WAS DDB06 0121?)	BLACK STUDIES	BLACK	A21	Employee	15"	3	7	3	75	X	Replaced DDB06 0121?, which replaced G 40691.
DDA 14 0034	NA	BMARTIN	REF	112	Employee	17"	3.4	7	8.00	250	X	
LDB 10 0050 R2	NA	CAMTASIA	REF	113	Employee	17"	2.8	7	8.00	250	X	Replaced HDA 06 0024.
DDA 13 0029	NA	CGAMALUDDIN	REF	109	Employee	17"	3.3	7	4.00	250	X	Replaced DDA 08 0025.
DDA 14 0032	NA	CGLOTFELTY	REF	110	Employee	17"	3.4	7	8.00	250	X	
LDB 10 0045 R2	NA	CIRC 1	CIRC	CIRC	Employee	20"	2.8	7	8.00	250	X	DDA 07 0262 R1

LDB 10 0046 R2	NA	CIRC 2	CIRC	CIRC	Employee	20"	2.8	7	8.00	250	X	DDA 07 0261 R1
LLA 11 0015	11S92P1156Z1ZDXN15RJC2	CLAP 01	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
		CLAP 02	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0017	11S92P1156Z1ZDXN15PJEL	CLAP 03	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0018	11S92P1156Z1ZDXN15PTH5	CLAP 04	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0019	11S92P1156Z1ZDXN15PMVA	CLAP 05	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0020	11S92P1156Z1ZDXN15PTGM	CLAP 06	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0021	11S92P1156Z1ZDXN15PTGG	CLAP 07	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0022	11S92P1156Z1ZDXN15PMVL	CLAP 08	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0023	11S92P1156Z1ZDXN15PJBZ	CLAP 09	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0024	11S92P1156Z1ZDXN15PJCO	CLAP 10	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0025	11S92P1156Z1ZDXN15PJBK	CLAP 11	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0026	11S92P1156Z1ZDXN15PTGJ	CLAP 12	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0027	11S92P1156Z1ZDXN15PJBE	CLAP 13	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0028	11S92P1156Z1ZDXN15PTGP	CLAP 14	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0029	11S92P1156Z1ZDXN15PJBS	CLAP 15	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0030	11S92P1156Z1ZDXN15PJBW	CLAP 16	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0031	11S92P1156Z1ZDXN15PYHN	CLAP 17	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0032	11S92P1156Z1ZDXN15PMV8	CLAP 18	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0033 R2	11S92P1156Z1ZDXN15PTGT	CLAP 19	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
LLA 11 0034	11S42T4418Z1ZGWWG159618	CLAP 20	LAPTOPS	CIRC	Lab	15"	2.00	7	0.99	75	X	
DLA 14 0072	CN-0V3XCV-73245-43N-1257-A00	CLAP 21	LAPTOPS	CIRC	Lab	14"	2.301	7	4	320	X	
DLA 14 0065	CN-0JCF3V-48661-466-723D-A02	CLAP 22	LAPTOPS	CIRC	Lab	14"	2.301	7	4	320	X	
DLA 14 0067	CN-0JCF3V-48661-466-75MN-A02	CLAP 23	LAPTOPS	CIRC	Lab	14"	2.301	7	4	320	X	
DLA 14 0068	CN-0V3XCV-73245-43N-2703-A00	CLAP 24	LAPTOPS	CIRC	Lab	14"	2.301	7	4	320	X	
DLA 14 0070	CN-0JCF3V-48661-45R-6G92-A02	CLAP 25	LAPTOPS	CIRC	Lab	14"	2.301	7	4	320	X	
DLA 14 0064	CN-0JCF3V-48661-466-75RZ-A02	CLAP 26	LAPTOPS	CIRC	Lab	14"	2.301	7	4	320	X	
DLA 14 0071	CN-0JCF3V-48661-466-7251-A02	CLAP 27	LAPTOPS	CIRC	Lab	14"	2.301	7	4	320	X	
DLA 14 0063	CN-0V3XCV-73245-43N-2727-A00	CLAP 28	LAPTOPS	CIRC	Lab	14"	2.301	7	4	320	X	
DLA 14 0066	CN-0JCF3V-48661-466-71KV-A02	CLAP 29	LAPTOPS	CIRC	Lab	14"	2.301	7	4	320	X	
DLA 14 0069	CN-0V3XCV-73245-43N-3293-A00	CLAP 30	LAPTOPS	CIRC	Lab	14"	2.301	7	4	320	X	
DDA 07 0170 R2	NA	CUSTODIANS	CUSTODIAL	LEVEL B	Employee	15"	3	7	4	75	X	Replaced G 40407.
LDB 11 0008	NA	DFAGUE	TECH	308	Employee	19"	2.8 QUAD	7	4.00	150	x	
LDB 11 0010	NA	DMOCK-PRIMARY	AV	A16	Employee	19"	2.83 QUAD		4.00	150	X	Not in this office...
LDB 10 100137	NA	ELANDER	TECH	309	Employee	19"	2.8 DUAL	7	3.25	150	X	
LDB 10 0054 R2	NA	FAC AUTHORIZING	AV	A17	Employee	15"	2.8 DUAL	7	8.00	250	X	Replaced GDA 03 0049 R2.
LDB 10 0138 R1	NA	GMCGIFFIN	ILL	104	Employee	19"	2.8 DUAL	7	3.25	150	X	
DDA 13 0008	NA	HONORS	HONORS	A15	Employee	19"	2.9	7	4.00	250	X	Replaced GDA 03 0077 R2.
LDA 11 0261	NA	ITCPC 01	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0292	NA	ITCPC 02	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0291	NA	ITCPC 03	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0290	NA	ITCPC 04	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0289	NA	ITCPC 05	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0288	NA	ITCPC 06	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0287	NA	ITCPC 07	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0286	NA	ITCPC 08	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0285	NA	ITCPC 09	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0284	NA	ITCPC 10	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0283	NA	ITCPC 11	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0282	NA	ITCPC 12	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0281	NA	ITCPC 13	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0280	NA	ITCPC 14	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	

LDA 11 0279	NA	ITCPC 15	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0278	NA	ITCPC 16	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0277	NA	ITCPC 17	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0276	NA	ITCPC 18	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0275	NA	ITCPC 19	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0274	NA	ITCPC 20	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0273	NA	ITCPC 21	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0272	NA	ITCPC 22	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0271	NA	ITCPC 23	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0270	NA	ITCPC 24	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0269	NA	ITCPC 25	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0268	NA	ITCPC 26	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0267	NA	ITCPC 27	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0266	NA	ITCPC 28	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0265	NA	ITCPC 29	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0264	NA	ITCPC 30	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0263	NA	ITCPC 31	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
LDA 11 0262	NA	ITCPC 32	ITC	LEVEL A	Lab	19"	3.2	7	1.47	150	X	
DDA 07 0257 R1	NA	ITCPC 33 ADA	ITC	LEVEL A	Lab	20"	3	7	2	150	X	
LDB 11 0013	NA	JBEICHNER	TECH	308	Employee	20"	2.8 DUAL	7	4.00	150	x	
LDB 11 0006	NA	KMILLER	PER	120	Employee	19"	2.83 QUAD	7	4.00	150	X	Replaced LDB 11 0006?
LDB 11 0007	NA	KSHEESMAN	REF	108	Employee	17"	2.83 Quad	7	4.00	150	X	
LDA 10 0047 R2	NA	LAB ASST #1 LEVEL A	ITC	LEVEL A	Lab	20"	2.8 DUAL	7	8	250	X	Replaced DDA 07 0260 R1.
LDA 10 0052 R2	NA	LAB ASST #2 LEVEL A	ITC	LEVEL A	Lab	20"	2.8 DUAL	7	8	250	X	Replaced DDA 07 0264 R1.
LLB 10 0031		LAPSUHR 01	SUHR	SUHR	Lab							
LLB 10 0032		LAPSUHR 02	SUHR	SUHR	Lab							
LLB 10 0033		LAPSUHR 03	SUHR	SUHR	Lab							
LLB 10 0034		LAPSUHR 04	SUHR	SUHR	Lab							
LLB 10 0035		LAPSUHR 05	SUHR	SUHR	Lab							
LLB 10 0036		LAPSUHR 06	SUHR	SUHR	Lab							
LLB 10 0037		LAPSUHR 07	SUHR	SUHR	Lab							
LLB 10 0038		LAPSUHR 08	SUHR	SUHR	Lab							
LLB 10 0039		LAPSUHR 09	SUHR	SUHR	Lab							
LLB 10 0040		LAPSUHR 10	SUHR	SUHR	Lab							
LDB 10 0134 R1	NA	LHORNER	ADMIN	125	Employee	19"	2.8 DUAL	7	3.25	150	X	
DDA 14 0072	NA	LNORRIS	SYSTEMS	A14	Employee	17" X 2	3.4	7	16.00	500	X	
DDA 07 0216 R4	NA	LNORRIS-PEGASUS	SYSTEMS	A14	Dedicated	17"	3	7	3.00	75	X	
DDA 13 0030	NA	MBUCHANAN	REF	111	Employee	20"	3.3	7	4.00	250	X	Replaced DDB 08 0047.
LDB 10 0139	NA	MPIERCE	CIRC	103	Employee	17"	2.8 DUAL	7	3.25	150	X	
LDA 11 0024R1	NA	OPAC (LEVEL 2 STAIR)	OPAC	LEVEL 2	Lab	20"	3.2 DUAL	7	4	150	X	
LDA 11 0335	NA	OPAC (LEVEL 3 CORNER)	OPAC	LEVEL 3	LAB	19"	3.2 DUAL	7	4	150	X	
LDA 11 0334	NA	OPAC (LEVEL 3 STAIR)	OPAC	LEVEL 3	Lab	19"	3.2 DUAL	7	4	150	X	
LDA 11 0242	NA	PER 01	PER	LEVEL 1	Lab	20"	3.2	7	0.99	75	X	N
LDA 11 0241	NA	PER 02	PER	LEVEL 1	Lab	20"	2.8	7	0.99	74.4	X	N
LDA 11 0240	NA	PER 03	PER	LEVEL 1	Lab	20"	2.8	7	0.99	74.4	X	N
LDA 11 0239	NA	PER 04	PER	LEVEL 1	Lab	20"	2.8	7	0.99	74.4	X	N
LDA 11 0238	NA	PER 05	PER	LEVEL 1	Lab	20"	2.8	7	0.99	74.4	X	N
LDA 11 0237	NA	PER 06	PER	LEVEL 1	Lab	20"	2.8	7	0.99	74.4	X	N
LDA 11 0236	NA	PER 07	PER	LEVEL 1	Lab	20"	2.8	7	0.99	74.4	X	N
HDA 05 0024	NA	PER INDUS 1	PER	LEVEL 1	Lab	17"	3	7	0.50	40	X	N
HDA 05 0023	NA	PER MINOLTA 1	PER	LEVEL 1	Lab	17"	3	XP	0.50	40	X	N
LDB 11 0011	NA	PER MINOLTA 2	PER	LEVEL 1	Lab	17"	3.2 DUAL	7	4.00	150	X	N

LDB 10 0055 R2	NA	PER STD	PER	120	Employee	20"	2.8	7	8	250	X	Replaced DDA 07 0258 R1.
DDA 14 0033	NA	PJOHNER	TECH	312	Employee	17"	3.4	7	8.00	250	X	Replaced DDA 08 0024.
DDA 07 0043 R1	NA	PRT RELEASE 1	REF	LEVEL 1		15"	2.79	7	3	75	X	
DDA 07 0038 R2	NA	PRT RELEASE 2	BI	201		15"	2.8	7	3	75	X	Replaced GDA040287R1.
DDA 07 0100 R3	NA	PRT RELEASE A CARD	ITC	LEVEL A		15"	2.13	7	4	75	X	Replaced GDB 04 0019 R1.
DDA 07 0189 R3	NA	PRT RELEASE A COIN	ITC	LEVEL A		15"	2.99	7	2	75	X	Replaced HDA 05 0098 R1.
LDA 11 0260	NA	REF 01	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	N
LDA 11 0259	NA	REF 02	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	N
LDA 11 0258	NA	REF 03	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	N
LDA 11 0257	NA	REF 04	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	N
LDA 11 0256	NA	REF 05	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	N
LDA 11 0254	NA	REF 06	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	N
LDA 11 0253	NA	REF 07	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	N
LDA 11 0252	NA	REF 08	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	N
LDA 11 0251	NA	REF 09	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	N
LDA 11 0250	NA	REF 10	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	N
LDA 11 0249	NA	REF 11	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	N
LDA 11 0247	NA	REF 12	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	N
LDA 11 0255	NA	REF 13	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	N
LDA 11 0248	NA	REF 14	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	N
LDA 11 0246	NA	REF 15	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	N
LDA 11 0245	NA	REF 16	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	
LDA 11 0244	NA	REF 17	REF	LEVEL 1	Lab	20"	3.2	7	1.47	150	X	
LDB 11 0004	NA	REF DESK (RIGHT)	REF	REF	Employee	20"	2.83 QUAD	7	4.00	150	X	
LDB 11 0005	NA	REF DESK 2 (LEFT)	REF	REF	Employee	15"	2.83 QUAD	7	4.00	150	X	
LDB 10 0053 R2	NA	REF STD	REF	108	Employee	15"	2.8	7	8	250	X	Replaced DDA 07 0263 R2.
LLA 08 0014 R2	11S92P1109Z1ZBTZ86ABDA	REFERENCE LAPTOP	REF		Employee	15"	2.1 DUAL	7	4	75		
DDA 13 0028	NA	SCHEN	PER	121	Employee	20"	3.3	7	4.00	250	X	Replaced DDA 08 0002.
LDB 10 0164 R1	NA	SJOHNSON	TECH	311	Employee	20"	2.8 DUAL	7	3.25	150	X	
LDA 10 0086 R1		SMART BOARD	SYSTEMS	C.A.E.	Smart	NA	3.3	7	4	150	X	
LDA 13 0164		SMART PODIUM	SYSTEMS	C.A.E.	Smart	12"	3.3	7	4	250	X	Replaced LDA 09 0101 R1.
LDA 11 0114	NA	SUHR 01	SUHR	SUHR	Lab							
LDA 11 0115	NA	SUHR 02	SUHR	SUHR	Lab							
LDA 11 0117	NA	SUHR 03	SUHR	SUHR	Lab							
LDA 11 0116	NA	SUHR 04	SUHR	SUHR	Lab							
LDA 11 0119	NA	SUHR 05	SUHR	SUHR	Lab							
LDA 11 0118	NA	SUHR 06	SUHR	SUHR	Lab							
LDA 11 0121	NA	SUHR 07	SUHR	SUHR	Lab							
LDA 11 0120	NA	SUHR 08	SUHR	SUHR	Lab							
LDA 11 0123	NA	SUHR 09	SUHR	SUHR	Lab							
LDA 11 0122	NA	SUHR 10	SUHR	SUHR	Lab							
DDA 07 0052	NA	SUHR 11 (Reader/Scanner)	SUHR	SUHR	Lab							
LDB 10 0135	NA	SUHR BSTURTZ	SUHR	SUHR	Employee		2.8 DUAL		3.25	150		
GDA 04 0084	NA	SUHR CIRC 1	SUHR	SUHR	Employee		2.8		2.50	40		
GDA 04 0083 R1	NA	SUHR CIRC 2	SUHR	SUHR	Employee		2.8		2.50	40		
HDA 05 0021	NA	SUHR ILL ARIEL	SUHR	SUHR ILL	Employee							
DDA 08 0026	NA	SUHR LCHERESNOWSKI	SUHR	SUHR	Employee		2.9		2.00	80		
M 2661	NA	SUHR MAC 01	SUHR	SUHR	Lab							
LDB 10 0166	NA	SUHR NCLEMENTE	SUHR	SUHR	Employee		2.8 DUAL		2.50	150		
GDA 04 0294 R1	NA	SUHR PRT RELEASE CARD	SUHR	SUHR								
GDA 4 0288R1	NA	SUHR PRT RELEASE COIN	SUHR	SUHR								
DDB 06 054R1	NA	SUHR REF DESK	SUHR	SUHR	Employee		2.8		2.50	40		

LDB 10 0136	NA	SUHR SWIEGEL	SUHR	SUHR	Employee		2.8 DUAL		3.25	150		
GLA 04 0072 R1		TECH SVC LAPTOP	TECH	309	Employee	15"	2.8		0.50	40	X	Per Bill, most likely outbounded.
LLA08 0016 R2	11S92P1109Z1ZBTZ86ADX2	TECH SVCS LAPTOP	TECH	309	Employee	15"	2.1 DUAL	7	4	75	X	Per Bill, Terry has it.
DDA 08 0083 R2	NA	TECH SVS STD	TECH	308	Employee	15"	3.0 DUAL	7	4	240	X	
LDB 10 0051 R2	NA	TIME CLOCK	CIRC	CIRC	Employee	17"	2.8	7	8.00	250	X	Replaced HDB 05 0077.
HLA 06 0041		TLATOUR	ADMIN	123	Employee	NA	1.73		0.51			"It is not here." ("Old" Laptop)
LDB 11 0009	NA	TLATOUR	ADMIN	123	Employee	17"	2.83 DUAL	7	4.00	150	X	
LLA08 016R2	N/A	TLATOUR	ADMIN	123	Employee							"New" Laptop
LDA 11 0339	NA	WTRIMBLE	SYSTEMS	302	Employee	17"	2.8 QUAD	7	8	500	X	
LDB 11 0002	NA	WTRIMBLE	SYSTEMS	302	Employee	17"	2.83	7	4.00	150	X	Replacd HDA 05 0082.